

Overview

The C44P/C20A Series are a polypropylene metallized film with cylindrical aluminium can type filled with oil, screw terminals, plastic insulator and overpressure safety device.

Applications

Typical applications include commutation, power factor correction and AC harmonic filtering.

Benefits

- · Overpressure safety device
- · High peak current capability
- · High torque screw terminals with plastic insulator
- · Long lifetime
- Self-healing



Part Number System


С	44	Р	F	=	G	R	6	1	0	0	Α	Α	S	J
Series		Application	Rated Volt	age (VAC)	Case Type	Terminal Style	Сара	acitanc	e Code	(pF)	Internal Code		rnal des	Tolerance
MKP Capacitors for Power Applications	44 = 250/440 V _{ac} 20 = 550/1,000 V _{ac}	AC Filter P = C44 A = C20	For C44P: F = 250 L = 330 K = 440	For C20A: K = 550 L = 640 Q = 780 Z = 1000	G = M12 bolt	R = Male M10	indic of c Dig nur must	igits 9, ate the apacita git 8 ind nber of be ado	first 3 ince va icates zeros led to c	digits lue. the that obtain	A = Standard Z = Special			J = 5% K = 10%

It is not possible to manufacture every part number which could be created from coding description. Please refer to table of standard part numbers and ask KEMET for other possibilities.

1



Dimensions – Millimeters



Diameter	Р	W	W1	M1	H1		
Ø = 65	28	18	40	12	16		
Ø≥75 35		21	45	12	16		
All dimensions are in mm							

Maximum Driving Torque							
Terminals M10	10 [N*m]						
Bolt M12	12 [N*m]						



General Technical Data

Reference Standards	IEC 61071				
Reference Standards	UL810 approved				
Dielectric	Polypropylene film				
Dielectric	Non-inductive type winding				
Climatic Category	25/70/56 – IEC 60068-1				
Maximum hot spot temperature	+80°C				
Endurance Test IEC 61071	+70°C @ Case Temperature				
Installation	Whatever position				
Tinned brass de	Tinned brass deck with self estinguish UL94 V0 plastic insulators				

Electrical Characteristics

Rated Voltage	Urms = (see table) VAC
Surge Voltage	Us = (see table) VDC
Capacitance Tolerance	±5% or ±10%
Dissipation Factor PP typical (tgδ0)	≤ 0.0002 at 25°C
	Annual average ≤ 80% at 24°C
Relative Humidity	On 30 days/year permanently 100%. on other days occasionally 90%.
	Dewing not admitted
Capacitance deviation in temperature range (-40 +50°C)	±1.5% maximum on capacitance value at 20°C

Life Expectancy

Life Expectancy	100,000 hours @ V_{RMS} with $T_{HS} \le 75^{\circ}C$
Capacitance drop at end of life	- 5% (typical)
Failure Rate IEC 61709	See FIT Graph

Test Methods

Test voltage term to term (Utt)	1.5 x V _{RMS} for 10 seconds at 25°C
Test voltage term to ease (Lite)	3,600 V ~ 50 Hz for 10 seconds (C44P)
Test voltage term to case (Utc)	6,000 V ~ 50 Hz for 10 seconds (C20A)
Damp Heat	IEC 60068-2-78
Change of Temperature	IEC 60068-2-14
Vibration Strength	IEC 60068-2-6

NOTICE: Care should be taken to ensure that there still is electrical clearance of 15 mm between terminations and other live or earthed parts above the capacitor, in case of safety device activation.


Table 1 – Ratings & Part Number Reference

Cap Value	V _{rms}	Rated Voltage	Surge Voltage	Maxi Dimer (m	isions	Ripple Current	ESR	ESL	Thermal Res	dV/dt (V/µs)	Part Number	
(µF)	VAC	VDC	VDC	D	Н	10 kHz 40°C (A)¹	10 kHz (mΩ)	(nH)	(°C/W)	(v/µs)		
100	330	700	1050	65	117	25	3.0	115	8.5	12.5	C44PLGR6100AASJ	
200	330	700	1050	65	147	43	2.8	140	5.4	12.5	C44PLGR6200ZASJ	
300	330	700	1050	65	247	50	2.3	150	3.6	12.5	C44PLGR6300ZASJ	
300	330	700	1050	75	197	55	1.4	160	4.2	12.5	C44PLGR6300AASJ	
400	330	700	1050	65	247	55	2.0	160	3.1	12.5	C44PLGR6400ZASJ	
500	330	700	1050	75	247	58	1.8	170	2.9	12.5	C44PLGR6500ZASJ	
500	330	700	1050	85	197	63	1.2	160	3.4	12.5	C44PLGR6500ZBSJ	
600	330	700	1050	85	247	65	1.6	180	2.9	12.5	C44PLGR6600AASJ	
600	330	700	1050	85	280	75	1.1	210	2.4	12.5	C44PLGR6600ZASJ	
100	440	1000	1500	75	147	30	3.5	145	5.6	20	C44PKGR6100AASJ	
100	440	1000	1500	65	197	50	2.3	135	4.4	20	C44PKGR6100ZASJ	
120	440	1000	1500	65	197	50	1.8	165	4.2	20	C44PKGR6120AASJ	
133	440	1000	1500	65	247	40	3.0	155	3.7	20	C44PKGR6133AASJ	
133	440	1000	1500	75	197	50	1.6	170	4.0	20	C44PKGR6133ZASJ	
150	440	1000	1500	65	247	45	2.8	160	3.5	20	C44PKGR6150AASJ	
200	440	1000	1500	75	247	55	2.4	175	3.2	20	C44PKGR6200AASJ	
250	440	1000	1500	85	247	60	2.0	175	3.4	20	C44PKGR6250AASJ	
300	440	1000	1500	85	247	60	1.9	180	2.7	20	C44PKGR6300AASJ	
400	440	1000	1500	95	247	65	1.7	200	2.5	20	C44PKGR6400AASK	
22	550	1280	1900	65	117	40	2.1	125	13.3	30	C20AKGR5220AASK	
33	550	1280	1900	75	117	45	1.6	130	10.6	30	C20AKGR5330AASK	
47	550	1280	1900	65	197	50	1.4	135	7.8	30	C20AKGR5470AASK	
68	550	1280	1900	65	247	55	1.7	145	6.2	30	C20AKGR5680AASK	
100	550	1280	1900	75	247	60	1.4	160	5.2	30	C20AKGR6100AASK	
120	550	1280	1900	85	247	60	1.3	165	4.6	30	C20AKGR6120AASK	
150	550	1280	1900	95	247	60	1.2	180	4.4	30	C20AKGR6150AASK	
15	640	1400	2100	65	117	35	2.5	120	14.1	30	C20ALGR5150AASK	
22	640	1400	2100	65	147	35	3.0	125	10.9	30	C20ALGR5220AASK	
33	640	1400	2100	75	147	40	2.2	135	9.1	30	C20ALGR5330AASK	
47	640	1400	2100	65	247	55	1.9	145	6.3	30	C20ALGR5470AASK	
68	640	1400	2100	75	247	60	1.6	160	5.3	30	C20ALGR5680AASK	
100	640	1400	2100	95	247	60	1.3	170	4.4	30	C20ALGR6100AASK	
120	640	1400	2100	95	247	60	1.3	175	4.1	30	C20ALGR6120AASK	
150	640	1400	2100	116	247	60	1.2	180	3.8	30	C20ALGR6150AASK	
10	780	1700	2500	65	117	30	3.0	130	14.1	70	C20AQGR5100AASK	
15	780	1700	2500	75	147	35	3.6	135	10.1	70	C20AQGR5150AASK	
22	780	1700	2500	75	147	40	2.7	140	8.9	70	C20AQGR5220AASK	
33	780	1700	2500	85	147	50	2.0	150	7.6	70	C20AQGR5330AASK	
47	780	1700	2500	75	247	55	1.8	160	5.2	70	C20AQGR5470AASK	
68	780	1700	2500	85	247	60	1.5	170	4.5	70	C20AQGR5680AASK	
100	780	1700	2500	95	247	60	1.3	180	4.0	70	C20AQGR6100AASK	
15	1000	2300	3300	75	147	33	2.5	150	9.2	85	C20AZGR5150AASK	
20	1000	2300	3300	75	140	40	2.1	150	8.3	85	C20AZGR5200ZBSK	
22	1000	2300	3300	75	147	35	2.0	155	8.0	85	C20AZGR5220AASK	
33	1000	2300	3300	75	247	40	1.7	165	5.3	85	C20AZGR5330AASK	
47	1000	2300	3300	85	247	45	1.4	170	4.7	85	C20AZGR5470AASK	
68	1000	2300	3300	95	247	55	1.2	180	4.1	85	C20AZGR5680AASK	
Cap Value	VAC	Rated	Surge	D	Н	Ripple Current	ESR	ESL	Thermal Res	dV/dt (V/µs)	Part Number	


¹ Maximum admissible RMS current $T_{HS} \le 75^{\circ}$ C.



Lifetime Expectancy/Failure Quota Graphs



V = Operating Voltage [VAC] V_{rms} = Rated Voltage [VAC]



Example of calculation

Part Number: C44PKGR6100AASJ Rated $V_{RMS} = 440 [V_{RMS}]$ Rated $I_{RMS} = 30 [A]$ $R_s = 3.5 [m\Omega]$ $R_{th} = 5.6 [°C/W]$ Fundamental Frequency $F_1 = 50 [Hz]$ Ripple Frequency $F_2 = 7000 [Hz]$ Fundamental Voltage $V_1 = 440 [V~]$ Ripple Current $I_2 = 27 [A]$ $T_a = 35°C$ $I_1 = I(50) = 2 * \pi * 50 * 100 * 10^{-6} * 440 = 13.8 [A]$ $V_2 = V(7000) = [27/(2 * \pi * 7000 * 100 * 10^{-6})] = 6.14 [V]$

Power Losses and Hot Spot Temperature Calculation

At each frequency, the Power Losses are the sum of:

1. Dielectric Power Losses $P_{D}(f_{i}) = 2 * \pi * f_{i} * C * V(f_{i})^{2*} tg\delta_{D}$

which can be alternatively calculated as

$$P_{D}(f_{i}) = \frac{I(f_{i})^{2}}{2 * \pi * f_{i} * C} * tg\delta_{i}$$

where: $tg\delta_0 = 2 * 10^{-4}$

2. Joule Power Losses: P (f) = Rs * I(f)²

The Total Power Losses are the sum of the components at each frequency:

$$P_T = \sum_i \left[P_D(f_i) + P_J(f_i) \right]$$

The Thermal Jump in the Hot Spot is: $\Delta T_{HS} = P_T * R_{th-hs}$

The Hot Spot Temperature is: $T_{\rm HS} = T_{\rm a} + \Delta T_{\rm HS}$

Limits for the formulas

The limits listed below should not be exceeded:

1.
$$\sqrt{\sum_{i} V(f_i)^2} \leq V_{RMS}$$

2. $\sqrt{\sum_{i} I(f_i)^2} \leq I_{RMS}$

 $T_{_{HS}} = T_{_a} + \Delta T_{_{HS}} \le (T_{_{HS}})_{_{MAX}}$

Where T_a is the ambient temperature (steady state temperature of the cooling air flowing around the capacitor, measured at 100 mm of distance from the capacitor and at a height of 2/3 height of the capacitor).

3. Maximum case temperature $(T_{CASE}) \le 70^{\circ}C$

$$\begin{split} &I_{\rm RMS} = \sqrt{(13.8^2 + 27^2)} = 30 \leq 30 \rightarrow {\rm Admitted} \\ &V_{\rm RMS} = \sqrt{(440^2 + 6.1^2)} = 440 \leq 440 \rightarrow {\rm Admitted} \\ &P_D(50) = 2 * \pi * 50 * 100 * 10^6 * 440^2 * 2 * 10^4 = 1.22 \, [W] \\ &P_D(7000) = [27^2/(2 * \pi * 7000 * 100 * 10^6)] * 2 * 10^4 = 0.03 \, [W] \\ &P_J(50) = 3.5 * 10^3 * [(2 * \pi * 50 * 100 * 10^6 * 440)^2] = 0.67 \, [W] \\ &P_J(7000) = 3.5 * 10^3 * 27^2 = 2.55 \, [W] \\ &P_T = 1.22 + 0.03 + 0.67 + 2.55 = 4.47 \, [W] \\ &\Delta T_{\rm HS} = 5.6 * 4.47 = 25 \, [^{\circ}\text{C}] \\ &T_{\rm HS} = 76 + \Delta T_{\rm HS} \\ &T_{\rm HS} = 35 + 25 = 60 \, [^{\circ}\text{C}] \rightarrow {\rm OK} \ {\rm since} \ {\rm hot} \ {\rm spot} \ {\rm temperature} \ {\rm is} \ {\rm less} \ {\rm than} \ {\rm maximum} \ {\rm admitted} \\ &Expected \ {\rm Life} \ @\ T_{\rm HS} = 75^{\circ}\text{C} \rightarrow 100,000 \ {\rm hours} \ ({\rm see} \ {\rm lifetime} \ {\rm curve}) \\ &Expected \ {\rm Life} \ @\ T_{\rm HS} = 60^{\circ}\text{C} \rightarrow 140,000 \ {\rm hours} \ ({\rm see} \ {\rm lifetime} \ {\rm curve}) \\ \end{aligned}$$



Marking

KEMET C20AZGR5200ZBSK 20µF ±10% Urms=1000V~ Irms=50A 50/60Hz -25/70/56 PROTECTED 1000AFC SH NO PCBs	Manufacturer Logo Part Number Rated Capacitance and Tolerance Rated Voltage Rated Current and Frequencies Climatic Category UL Approvals Self-Healing Dielectric. UL Logo. CE Logo. Breduction Date and Bateh Number
	→ CE Logo. Production Date and Batch Number

Dissipation Factor

Dissipation factor is a complex function involved with the inefficiency of the capacitor. The tgo may change up and down with increased temperature. For more information, please refer to Performance Characteristics.

Sealing

Hermetically Sealed Capacitors

When the temperature increases, the pressure inside the capacitor increases. If the internal pressure is high enough, it can cause a breach in the capacitor which can result in leakage, impregnation, filling fluid or moisture susceptibility.

Resin Encased/Wrap & Fill Capacitors

The resin seals on resin encased and wrap and fill capacitors will withstand short-term exposure to high humidity environments without degradation. Resins and plastic tapes will form a pseudo-impervious barrier to humidity and chemicals. These case materials are somewhat porous and through osmosis can cause contaminants to enter the capacitor. The second area of contaminated absorption is the lead-wire/resin interface. Since resins cannot bond 100% to tinned wires, there can be a path formed up to the lead wire into the capacitor section. Aqueous cleaning of circuit boards can aggravate this condition.

Barometric Pressure

The altitude at which hermetically sealed capacitors are operated controls the voltage rating of the capacitor. As the barometric pressure decreases, the susceptibility to terminal arc-over increases. Non-hermetic capacitors can be affected by internal stresses due to pressure changes. This can be in the form of capacitance changes or dielectric arc-over as well as low insulation resistance. Heat transfer can also be affected by altitude operation. Heat generated in operation cannot be dissipated properly and can result in high RI2 losses and eventual failure.

Radiation

Radiation capabilities of capacitors must be taken into consideration. Electrical degradation in the form of dielectric embitterment can take place causing shorts or opens.



Environmental Compliance

As an environmentally conscious company, KEMET is working continuously with improvements concerning the environmental effects of both our capacitors and their production.

In Europe (RoHS Directive) and in some other geographical areas like China, legislation has been put in place to prevent the use of some hazardous materials, like Lead (Pb), in electronic equipment. All products in this catalog are produced to help our customers' obligations to guarantee their products to fulfill these legislative requirements. The only material of concern in our products has been Lead (Pb), which has been removed from all designs to fulfill the requirement of containing less than 0.1% of Lead in any homogeneous material.

KEMET will closely follow any changes in legislation world wide and makes any necessary changes in its products, whenever needed. Some customer segments like Medical, Military and Automotive Electronics may still require the use of Lead in electrode coatings. To clarify the situation and distinguish products from each other, a special symbol is used on the packaging labels for RoHS compatible capacitors.

Because of customer requirements there may appear additional markings like LF = Lead Free or LFW = Lead Free Wires on the label.

All KEMET power film products are RoHS Compliant.



Materials & Environment

The selection of materials used by KEMET for the production of capacitors is the result of extensive experience and constant attention to environmental protection. KEMET selects its suppliers according to ISO 9001 standards and carries out statistical analysis on the materials purchased before acceptance. All materials are, to the company's present knowledge, non-toxic and free from Cadmium, Mercury, Chrome and compounds, PCB (Polychlorine Triphenyl), Bromide and Chlorine Dioxins Bromurate Clorurate, CFC and HCFC and Asbestos.

Green Products

All KEMET power film products are ROHS Compliant.

Insulation Resistance

When the capacitor temperature increases, the insulation resistance decreases. This is due to increased electron activity. Low insulation resistance can also be the result of moisture trapped in the windings, caused by a prolonged exposure to excessive humidity.



KEMET Corporation World Headquarters

2835 KEMET Way Simpsonville, SC 29681

Mailing Address: P.O. Box 5928 Greenville, SC 29606

www.kemet.com Tel: 864-963-6300 Fax: 864-963-6521

Corporate Offices

Fort Lauderdale, FL Tel: 954-766-2800

North America

Southeast Lake Mary, FL Tel: 407-855-8886

Northeast Wilmington, MA Tel: 978-658-1663

Central Novi, MI Tel: 248-306-9353

West Milpitas, CA Tel: 408-433-9950

Mexico Guadalajara, Jalisco Tel: 52-33-3123-2141

Europe

Southern Europe Paris, France Tel: 33-1-4646-1006

Sasso Marconi, Italy Tel: 39-051-939111

Central Europe Landsberg, Germany Tel: 49-8191-3350800

Kamen, Germany Tel: 49-2307-438110

Northern Europe Bishop's Stortford, United Kingdom Tel: 44-1279-460122

Espoo, Finland Tel: 358-9-5406-5000

Asia

Northeast Asia Hong Kong Tel: 852-2305-1168

Shenzhen, China Tel: 86-755-2518-1306

Beijing, China Tel: 86-10-5829-1711

Shanghai, China Tel: 86-21-6447-0707

Taipei, Taiwan Tel: 886-2-27528585

Southeast Asia Singapore Tel: 65-6586-1900

Penang, Malaysia Tel: 60-4-6430200

Bangalore, India Tel: 91-806-53-76817

Note: KEMET reserves the right to modify minor details of internal and external construction at any time in the interest of product improvement. KEMET does not assume any responsibility for infringement that might result from the use of KEMET Capacitors in potential circuit designs. KEMET is a registered trademark of KEMET Electronics Corporation.



Prototype Sample Disclaimer

The Customer acknowledges the following limitations of the prototype samples:

(1) Prototype samples are manufactured from preliminary designs and manufacturing processes; may not represent final designs; have not been released for commercial use and are not subject to the same quality control procedures applicable to released products.

(2) Prototype samples are not qualified parts and are provided "as-is" by KEMET Electronics Corporation, which specifically disclaims any and all warranties and guarantees, explicit or implied, including, without limitation, the warranties of merchantability and fitness for a particular purpose or use.

(3) Prototype samples are not intended for commercial use; are provided for engineering evaluation only and are not recommended for use in the Customer's production line.

(4) The Customer assumes the risk ofany and alluses that the Customer makes of the prototype samples.

General Disclaimer

"All product specifications, statements, information and data given herein are believed to be accurate and reliable, but are presented without guarantee, warranty, or responsibility of any kind, expressed or implied. Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute – and we specifically disclaim – any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application.

KEMET's product warranty is set forth at www.kemet.com under Terms and Conditions of Sale."